

# TECHNICAL DATA

## 35...

### SEALING TAPE ON A ROLL

➤ **Commercial description :**  
SEALING TAPE ON A ROLL

➤ **Product description :**

Sealing tape on a roll for sealing joints. Easy to use it reproduces perfectly the sealing joints commonly applied on car body and difficult to reproduce with standard PU cartridges

It gives original result on van pannel, doors pannel, bonnets, car boots, wheel arch and roofs.


It also offers solutions for industrial applications.

➤ **Field :**

Automotive and industry

➤ **Technical data :**

Size :	See last page
Colour :	White
Water resistance :	Yes
Solvent resistance :	Yes
Temperature resistance :	Yes
Storage :	3 Years



# TECHNICAL DATA

## 35...

### ► Preparation :

Remove old sealing material

Sand the part

Apply EQUAMIX HS (undercoat 2k), dry and sand

Degrease with 37021 WATER BASE PLASTIC CLEANER SPRAY 400 ML AEROSOL

Dry


Apply one thin layer of 3770 CLEAR BOND ADHESION PROMOTER UNIVERSAL CLEAR AEROSOL - 400ML. Wait 10 minutes

Apply the Sealing tape on a roll ( pay attention to not create an elongation)

Squeeze the sealing tape by using the roller.

Degrease again with 37021 to remove all contamination

Proceed with paint



### **NOTE :**

*Information provided in this technical data sheet is based upon our best experience and technical knowledge; it does not absolve the users from carrying out tests and preventive checks in order to verify the suitability for use. For further technical information about specific systems and/or special applications, please contact our TECHNICAL SERVICE.*

*FOR PROFESSIONAL USE ONLY*


# TECHNICAL DATA

## 35...


35106 → Type 1 - 6 mm x 16M  
35108 → Type 1 - 8 mm x 16M  
35110 → Type 1 - 10 mm x 16M  
35120 → Type 1 - 20 mm x 5M




35206 → Type 2 - 6 mm x 9M  
35208 → Type 2 - 8 mm x 9M  
35210 → Type 2 - 10 mm x 9M  
35212 → Type 2 - 12 mm x 5M



35303 → Type 3 - 3 mm x 6.5M



35412 → Type 4 - 12 mm x 5M  
35415 → Type 4 - 15 mm x 5M



35512 → Type 5 - 12 mm x 5M  
35515 → Type 5 - 15 mm x 5M

